


ASSEMBLY INSTRUCTION LEAF TABLE


TO ASSEMBLY THE TWO LEGS:

THERE ARE TWO DIFFERENT LEGS:

- 1) FIXED SIDE (THE TWO JOINTS ON THE BAR ARE TOWARDS INTERIOR)
- 2) MOBILE SIDE (JOINT ARE NEARET TO THE LEGS AND THERE ARE TWO HOLES FOR THE EXTENSION MOUNTING).

TO ASSEMBLY THE LEGS, INSERT THE JOINTS IN THE SLIDES AND FIX THEM USING THE INCLUDE M6x16 SCREWS





EXTENSION ASSEMBLY SEQUENCE

AFTER ASSEMBLING THE LEG BRIDGES, FOLLOW THE FOLLOWING INSTRUCTIONS BEFORE ASSEMBLING THE EXTENSION,

- 1) TURN THE TABLE AND PLACE IT IN THE NORMAL OPERATION POSITION BY PLACING IT IN THE CLOSED POSITION
- 2) CHECK THAT THE CAMS INSIDE THE GUIDES ARE TURNED COUNTER-CLOCKWISE (SEE FIGURE 1). IF NECESSARY, TURN THE CAMS BY HAND UNTIL THEY ARE IN THE POSITION SHOWN IN THE FIGURE
- 4) OPEN THE GUIDES, BRINGING THEM UNTIL THE FULL STROKE. THE EXTENSION LIFTING RODS ARE IN THE UP POSITION.
- 5) ASSEMBLE THE EXTENSION. UNDER THE FIXED CROSSBAR THE EXTENSION MUST BE FIXED WITH A SCREW AND WASHER TO BE SCREWED TO SPECIAL BACKING PADS (SEE FIGURE 2)
- 6) CLOSE THE TABLE BY BRINGING THE EXTENSION TO THE TOP
- 7) TO CLOSE THE TABLE, OPEN THE GUIDES AGAIN UNTIL FULL STROKE. ATTENTION: THE GUIDES OPEN MORE THAN PREVIOUSLY, IT IS NECESSARY TO COMPLETE ALL OPENING BEFORE CLOSING THE TABLE
- 8) CLOSE THE GUIDES.

FIG. 2

